

Tangra[™]S Pro HD 425-445W

N-type High Density Bifacial Double Glass Mono Module



Bifacial technology enables additional energy harvesting from rear side (up to 30%)



30-year lifespan delivers 10-30% more power compared with conventional P-type modules



The natural lack of LID in the N-type solar cell can increase power generation



Excellent low irradiance performance



Better light trapping and current collection to improve module power output and reliability



Industry-leading, lowest thermal coefficient



Optimized electrical design and lower operating current for reduced hot spot loss and better temperature



Certified to withstand 2400 Pa of wind load and 5400 Pa of snow load



100% triple EL test, which greatly reduces the hidden cracks rate

PERFORMANCE INSURANCE












^{*} Optional performance warranty insurance. Please contact our local sales representatives for more information.

LINEAR PERFORMANCE WARRANTY



COMPREHENSIVE CERTIFICATES



ISO 9001: Quality Management System

ISO 14001: Environmental Management System Standard

ISO 45001: International Occupational Health and Safety Assessment System Standard

2014 Social Accountability Management System SA 8000:

Make it happen! www.sunova-solar.com

^{*} Different markets have different certification requirements. Also, the products are under rapid innovation. Please confirm the certification status with regional sales representatives.

ELECTRICAL CHARACTERISTICS



Model of modules	SS-BG425-54MDH(T) SS-BG430-5		-54MDH(T)	SS-BG435-54MDH(T)		SS-BG440-54MDH(T)		SS-BG445-54MDH(T)		
	STC	NOCT	STC	NOCT	STC	NOCT	STC	NOCT	STC	NOCT
$\operatorname{Maximum\ power} - \operatorname{P}_{\operatorname{mp}}(\operatorname{W})$	425	317	430	320	435	324	440	328	445	331
Open-circuit voltage — V _{oc} (V)	37.42	35.32	37.58	35.47	37.75	35.63	38.07	35.94	38.29	36.14
Short-circuit current $-I_{sc}(A)$	14.20	11.47	14.26	11.52	14.32	11.57	14.33	11.58	14.39	11.63
${\it Maximum power voltage-V_{mp}(V)}$	31.59	29.57	31.91	29.87	32.22	30.16	32.49	30.41	32.80	30.71
${\rm Maximum\ power\ current} - {\rm I}_{\rm mp} ({\rm A})$	13.45	10.70	13.48	10.73	13.50	10.74	13.54	10.77	13.56	10.79
Module efficiency $-\eta_{m}$ (%)	21	.27	21	.52	21	.77	22	.02	22	.27

STC (Standard Testing Conditions): Irradiance 1000W/m², Cell Temperature 25 °C , Spectra at AM1.5

NOCT (Nominal Operating Cell Temperature): Irradiance 800W/m², Ambient Temperature 20°C, Spectra at AM1.5, Wind at 1m/s

ELECTRICAL CHARACTERISTICS WITH DIFFERENT POWER BIN (REFERENCE TO 13.5% IRRADIANCE RATIO)

Peak Power (P _{max}) (W)	471	477	482	487	493
Open Circuit Voltage (V_{oc}) (V)	37.42	37.58	37.75	38.07	38.29
Short Circuit Current (I _{sc}) (A)	15.73	15.80	15.87	15.88	15.94
MPP Voltage (V _{mp}) (V)	31.59	31.91	32.22	32.49	32.80
MPP Current (I _{mp}) (A)	14.90	14.94	14.96	15.00	15.02

STRUCTURAL CHARACTERISTICS

Module size (L*W*H)	1762 x 1134 x 30 mm
Weight	25.9kg
Cell	108 cells, N-type Monocrystalline
Front glass	2.0mm, Anti-Reflection Coating
Back glass	2.0mm, Heat Strengthened Glass
Frame	Anodized aluminum alloy (Silver/Black)
Junction box	IP68, 3 bypass diodes
Output wire	4.0 mm ²
Wire length	300mm/1200mm/customized
Connector	MC4 Compatible
Packing Specification	36pcs/Pallet; 936 pcs/40'HQ


OPERATING PARAMETERS

Power tolerance (W)	(0,+5)			
Maximum system voltage (V)	1500			
Maximum rated fuse current (A)	30			
Current operating temperature (°C)	-40~+85 °C			
Mechanical load	5400 Pa / 2400 Pa			


TEMPERATURE RATINGS


Temperature coefficient (P _{max})	-0.30 %/°C
Temperature coefficient (V _{oc})	-0.28 %/°C
Temperature coefficient (I_{sc})	+0.04 %/°C
Nominal operating cell temperature	43±2 ℃


MODULE DIMENSIONS (MM)















Web: www.sunova-solar.com

E-mail: info@sunova-solar.com

*The technical parameters contained in this datasheet may deviate slightly. Sunova Solar does not guarantee that they are completely accurate. Varying optional data could be for different regions or prices. Please contact commercial people for confirmation. Due to continuous innovation, research and development and product improvement, Sunova Solar reserves the right to adjust the information in this datasheet at any time without prior notice. The customer should obtain the latest version of datasheet when signing the contract and make it an integral part of the binding contract signed by both parties. The Chinese (or other language) translation lites of this datasheet are for reference only. If there is any inconsistency between the English version and the Chinese version (or other language versions), the English version shall prevail.

Make it happen!